



GREENFIELD FIRE TERRITORY
FIRE PREVENTION DIVISION

ADDRESS IDENTIFICATION

It is important to identify and mark proper addresses on buildings located in the GFT for emergency response or for people to find your business.

Approved numbers or addresses on a contrasting background shall be placed above the doorway or in such a position as to be visible and legible from either direction of approach from the street or road fronting the property. Where a building or buildings are set back from the street or road fronting the property and where addresses may not be identifiable due to distance from the street or roadway or to visual obstructions such as landscaping or architectural features, the address or number posting shall be required both at the street driveway serving such buildings and on the buildings. Address numbers shall be Arabic numbers and alphabetical letters.

Multi-tenant buildings will also have the address on the rear door of their business.

OCCUPANCY	NUMBER HEIGHT	STROKE WIDTH
Commercial/Industrial	6-12 Inches	.5-1.125 Inches
Multiple Unit Residential	6-12 Inches	.5-1.125 Inches
Single Family and Duplex	4 Inches	.75 Inches
Apartment Range Numbers	6 Inches	.5 Inches

Distance Setback from Street to Building		Minimum Arabic Number and Alphabetical Font Size			
From:	To:	Height	Width	Stroke of Line	Placement on Building (Maximum Height)
11 Feet	25 Feet	6 Inches	2.25 Inches	.5 Inch	10 Feet
26 Feet	35 Feet	7 Inches	2.5 Inches	.5 Inch	12 Feet



GREENFIELD FIRE TERRITORY
FIRE PREVENTION DIVISION

36 Feet	45 Feet	10 Inches	3 Inches	.625 Inch	14 Feet
46 Feet	55 Feet	10 Inches	3.5 Inches	.75 Inch	16 Feet
56 Feet	65 Feet	10 Inches	4 Inches	.75 Inch	18 Feet
66 Feet	75 Feet	10 Inches	4.5 Inches	.875 Inch	20 Feet
76 Feet	85 Feet	12 Inches	5 Inches	1.0 Inch	22 Feet
86 Feet	95 Feet	12 Inches	5.5 Inches	1.125 Inch	24 Feet
96 Feet	Or More	12 Inches	6 Inches	1.125 Inch	26 Feet